

CONKLIN[®]
Master Guard[™]



Master Guard[®] Coatings Catalog

Flexible Armor Against the Elements





Beauty and Performance . . . a Winning Combination!



Conklin Specialty Coatings are the result of decades of research and development in the acrylic roof coating industry. We've taken our knowledge from the rooftop to the rest of the building by formulating a full line of interior and exterior coatings, wood and asphalt sealers, plus caulks and sealants. Master Guard products are designed to deliver long-term performance, favorable life-cycle costs and years of solid, attractive performance for business and residential customers alike. No matter what your coating needs, Conklin has you covered!

Surface	Prime With / Apply First	Finish with
Unpainted Sheetrock, Plaster, and Interior Woodwork	Show Kote Interior Primer	Show Kote Interior Paint
Ceilings	n/a	Show Kote Ceiling Paint
Exterior Wood & Trim (Unpainted)	Show Kote Exterior Primer	Show Kote Exterior Paint
	n/a	Master Guard Wood Sealer
Hardboard, Wood Siding or Plywood (Unpainted)	Show Kote Exterior Primer	Show Kote Exterior Paint Master Guard® Wall Kote
Exterior Wood & Trim, Hardboard, Wood Siding or Plywood (painted)	n/a	Show Kote Exterior Paint Master Guard® Wall Kote
Metal	Metal Ready Universal®	Alumify® Aluminum Paint
Primed or Previously Painted Metal	n/a	Show Kote Exterior Paint Kolor Kote Finish Coat
Above-Grade Concrete Block, Stucco, Non-glazed Brick	Show Kote Exterior Paint Master Guard® Wall Kote Wall-Up® Masonry Coating	n/a
Interior Masonry Surfaces, Below-Grade Masonry, and Concrete Block	Wall-Up® Masonry Coating	n/a
Fiberglass, Plexiglas or Plastic	Skylight Coating	n/a

To learn more about Conklin Master Guard Coatings, contact:



Premium Exterior Coating System

Extreme durability, flexibility for extreme conditions

Conklin's premium elastomeric exterior coating system provides exceptional waterproofing technology and great looks. This durable, long-lasting coating is extremely flexible. It resists cracking, peeling and blistering for years longer than ordinary paint, providing a functional, yet beautiful protective finish over wood, metal, cement composition materials, and masonry surfaces.

Advantages of Conklin's premium elastomeric exterior coating system:

- Provides exceptional coverage with greater thickness than ordinary paint
- Offers long-term protection against the elements
- Resists unsightly mildew



Master Guard® Wall Kote™ Exterior Latex Coating System

Quite possibly the most durable and longest-lasting exterior coating on the market today, Wall Kote protects a building's exterior with Conklin's one-of-a-kind elastomeric technology. It provides a flexible membrane resistant to cracking, peeling and blistering, and its greater thickness provides longer lasting protection when compared to ordinary paint.

Show Kote® Exterior Paint Primer

As a primer for Master Guard Wall Kote, Show Kote increases stain-blocking characteristics on unpainted wood and siding. It seals off knots and sap streaks in wood to prevent bleed-through. Resists blistering.

Wall-Up® Masonry Wall Coating/Primer

This fluid-applied elastomeric coating effectively prepares above-grade masonry surfaces for the application of Wall Kote. It forms a seamless, flexible, protective seal against moisture on concrete block, raked masonry finishes, split-faced block, and more. Wall-Up is key to superior protection against the elements.

"It's easy for building owners and developers to recognize that Wall Kote is superior to paint. Paint goes on three mils thick; Wall Kote applies 10 to 12 mils thick. So when I sprayed a little Wall Kote onto one building of a 410-unit apartment complex to compare it with the paint that was already there, the developer of the complex immediately saw the difference. Wall Kote won us the job."

– Kent M., Missouri



Master Guard® Asphalt Pavement Coating System

Professional-looking appeal that outlasts tar

Conklin's Master Guard Asphalt Coating System provides effective protection against freeze/thaw conditions, ultraviolet degradation, and water intrusion into asphalt parking lots and driveways. This system seals all cracks, fills potholes and depressions, and seals the surface with an attractive, durable black finish.

Advantages of the Master Guard® Asphalt Coating System:

- Renews and extends the life of asphalt surfaces
- Protects against oil, gas, and antifreeze spills
- Does not harm the environment



Asphalt Sealer

Master Guard Asphalt Sealer outperforms and outlasts competitive tar-based products, adding instant, professional-looking appeal to asphalt driveways and parking lots. It applies easily to protect with just one coat, and its rubberized latex formula stays flexible longer, providing a durable, black finish.

rubberized asphalt formula requires no mixing or specialized application tools and provides excellent adhesion and resistance to temperature changes.

Oil and Spot Primer

This fast-drying, highly-adhesive formula prevents spots and stains from bleeding through finished asphalt and ensures longer-lasting protection. It allows for faster application of the finish coat than competitive products.

Trowelable Crack Filler

Prevent minor driveway defects from growing into major problems with our trowelable crack filler. The thicker formula fills small holes and cracks up to one inch wide with minimum shrinkage, to prepare the way for a professional finish with Asphalt Sealer.

Pourable Crack Filler

The ideal filler for driveway repairs, our treatment fills ¼-inch cracks and small holes quickly. Its

Asphalt Patch

Maintain or repair driveways, parking lots, loading areas, and service roads. Our formula can be used to patch large cracks, potholes, and defects and can be applied at temperatures as low as 40 degrees F. Followed by Oil and Spot Primer and Asphalt Sealer, this product is essential when restoring large areas.



Show Kote® Interior Paint

Smooth, rich coverage for years of beauty and service

Conklin combines years of acrylic expertise with high-quality ingredients to yield a truly superior line of interior paints. Many competitive brands use higher quantities of water and fillers in their paint formulations, which reduces the paint quality. Show Kote paints use less water and more solids, yielding richer colors, better coverage, smoother texture, and a tough, washable finish that will stand up to the worst conditions beautifully.

Advantages of Show Kote Interior Paint:

- Offers a superior coverage rate of up to 400 square feet per gallon
- Adheres easily to most interior surfaces
- Resists splattering

Show Kote® PVA Interior Primer

Our specialty primer creates a smooth, uniform base and helps hide dark-colored paint before applying Show Kote Interior Paint. It provides first-line protection against stains and bleed-through. It also minimizes surface imperfections on unpainted sheetrock, woodwork, previously-painted surfaces, and patched and spackled areas.

Show Kote® Interior Paint

Conklin's high-quality acrylic latex coating for interior surfaces offers a wide array of colors and exceptional durability. Choose between a creamy



satin or a sparkling semi-gloss finish to enhance and protect primed drywall, primed masonry, primed metal surfaces, and most previously painted surfaces. The satin finish combines an elegant, low sheen appearance along with superior washability. The semi-gloss finish is the perfect finish for high-traffic areas.

Show Kote® Ceiling Paint

Our high-quality formula applies smoothly, resulting in less splattering and more even coverage. Its flat finish and bright white color provide better light diffusion, while minimizing surface imperfections on smooth or textured ceilings.



Show Kote® Exterior Paint

A gorgeous finish that stands up to Mother Nature

A high-quality exterior paint is a cost-effective way to improve the appeal of any building, and Conklin's superior high-solids formulations yield a tough layer of protection and longer-lasting color. Show Kote Exterior Paint applies easily to almost any surface including primed wood and hardboard siding, aluminum, primed steel and primed galvanized metal siding, cured concrete block and stucco for a gorgeous finish that will stand up to Mother Nature for years.

Advantages of Conklin Exterior Paint:

- Adheres easily to most exterior surfaces
- Resists chalking, dirt pick-up and mildew growth
- Less likely than other paints to blister, peel, or flake

Show Kote® Exterior Paint Primer

Show Kote Primer is the best foundation for any exterior paint job! This first-rate formulation blocks stains on surfaces such as unpainted wood and siding. It also seals off knots and sap streaks in wood to prevent bleed-through. Resists blistering.

Show Kote® Exterior Paint

This high-solids, 100 percent acrylic latex formula provides great coverage along with a tough, flexible finish and comes in a wide range of colors from off-whites and pastels to deep, rich accent colors to appeal to any taste.



"Show Kote paint holds its color well, applies smoothly, and toughens up like armor. In addition to working well with Kwik Kaulk®, these products are both latex-based and are easy to clean up."

– Daniel M., Washington



Master Guard® Wood Sealer

Restores wood's natural beauty

Conklin Master Guard Wood Sealer protects all your wood surfaces from sunlight, wind, and rain while maintaining the warmth and character of the wood's texture and grain. Preserve all of your wood surfaces with Conklin's Wood Sealer.

Advantages of Conklin Master Guard Wood Sealer

- Beautifies outdoor living spaces, furniture, siding, and fences.
- Fights against wood rot
- Outlasts competitive wood-sealing products
- Complies with environmental standards for VOC emissions



Wood Sealer

One coat of our wood sealer adds years of beauty to decks, fences, outdoor furniture, spa skirts, window frames and siding. Ideal for pine, redwood, cedar, oak and properly aged and dried pressure-treated lumber. Our formula restores wood and seals out moisture to prevent cracking and splitting—all in just one coat! Color options include natural, redwood, light brown, dark brown and gray.

“We restore quite a bit of wood siding and a lot of wood decks with Master Guard Wood Sealer. We used it to restore a great big lodge two years ago. The owner of the lodge was so impressed with how the lodge looked, that when we were done he asked us to restore another of his properties!”

– Leland H., Arkansas



Natural Redwood Light Brown Dark Brown Gray



Caulks and Sealants

Conklin's professional-grade caulks and sealants are the perfect partner to our Master Guard paints and coatings. They provide a pliable seal that can withstand the extreme pressures of building movement and weather, enhancing the exceptional waterproofing power of our coatings.

Advantages of Conklin Caulks and Sealants:

- Provides superior protection with high-solids formulas
- Cures to a durable, long-lasting finish
- Complies with federal specifications for government projects

360-S® Urethane Sealant

This tough elastomeric urethane sealant provides outstanding adhesion and long-lasting protection on asphalt, masonry, concrete, aluminum, wood, and glass surfaces. It resists cracking, water, and most harsh chemicals, and cures even in humid, wet or rainy conditions. Once it is cured, it can be coated with Conklin paint for the perfect finishing touch.

Kwik Kaulk® Acrylic Caulking Compound

Formulated with less water than the leading competitive caulk, Kwik Kaulk latex caulking compound resists shrinking. Our high tensile-strength formula is ideal for metal, wood or concrete surfaces indoors or out. It seals door and window frames, thresholds and any areas where air and water leaks occur. Plus, it remains flexible, even at -20 degrees F. It is safe for use with all latex paints and available in white, gray or dark bronze. For the ultimate professional finish, Kwik Kaulk can be tinted to coordinate with interior paint color.



"360-S® Urethane Sealant and Kwik Kaulk® Acrylic Caulking Compound have become my most reliable products of choice. Their performance is simply unmatched. I've used them on various surfaces. It is one thing to find the source of the leak; it is another to have a product that fixes the leak for good. Thanks for such great products!"

Curt H., Ohio



Specialty Protection Products

Wall-Up®

Masonry Wall Coating/Primer

Designed for use on highly textured or porous areas, Wall-Up is an essential step in waterproofing masonry surfaces. It forms a seamless, flexible, protective seal against moisture on concrete block, raked masonry finishes, split-faced block and more. This fluid-applied elastomeric coating is designed for interior and exterior, above-grade or below-grade surfaces. It effectively prepares above-grade surfaces for the application of Conklin paint or coating.

Alumify®

General Purpose Aluminum Paint

Rejuvenate metal surfaces and structures with a smooth, tough, reflective finish that reduces UV deterioration and cooling costs. Ideal for steel or galvanized metal when applied over Metal Ready Universal Primer. Alumify handles weather extremes and resists chalking, cracking and checking.



Maintain®

Water-Based Maintenance Roof Coating

A single coat of Maintain produces a bright white, low sheen finish that inhibits light to medium rust. This low odor, VOC-compliant coating keeps building interiors cooler and lowers energy costs.

Skylight Coating™

Our clear, non-yellowing Skylight Coating fills in naturally-occurring surface cracks and minor scratches to form a clear, protective seal on fiberglass, Plexiglas®, plastic skylights and other plastic surfaces. On new surfaces, Skylight Coating inhibits brittleness and leaking caused by UV ray damage.

Maintenance Products for Buildings, Vehicles, and Equipment



Vehicle and Equipment Maintenance

4-Power® D and Diesel Plus®

Maximize your diesel engine's performance year-round with 4-Power D Diesel Fuel System Cleaner and Diesel Plus Diesel Fuel Conditioner. With today's diesel fuels you need Diesel Plus in every tank for improved stability, cetane number, lubricity and cold weather operation. And don't forget to aggressively clean the fuel system with 4-Power D every 4,000 miles or 4 months.

4-Power® G and Fuel Mate Plus®

Keep your gasoline fuel systems running like a top with 4-Power G Gasoline Fuel System Cleaner and Fuel Mate Plus Gasoline Fuel Conditioner. Since the minimum additive performance standards were established in 1995, most gasoline actually has lower levels of detergent; Fuel Mate Plus in every tank helps to maintain your fuel system's performance. Don't forget 4-Power G every 4,000 miles or 4 months as a clean fuel system allows for more efficient fuel dispersion and complete combustion.

Luboil® – Multipurpose Lubricant

From heavy equipment to a squeaky hinge, Luboil will give you long-lasting lubrication without greasy residue. It displaces moisture and won't attract dirt and grime.

Rust Bomb® – Super Penetrating Oil

Make repairs a breeze with this "must-have" product for any equipment frequently exposed to wet conditions. Rust Bomb penetrates quickly and breaks down rust and corrosion on fasteners, nuts, bolts, and hinges.

ISO 32™ & ISO 100™ – Compressor Oils

Extended oil drain intervals are just the beginning of what ISO 32 and ISO 100 Compressor Oils can do for you. Both are able to reduce the operating temperatures while extending the life of your equipment.



Cleaners

Reflections™ Plus – Multipurpose Glass and Surface Cleaner

Get superior, streak-free cleaning power on windows, windshields, and other non-porous surfaces without the ammonia. Reflections is perfect for cutting through dirt and film and keeping surfaces looking like new.

Mox® – Multipurpose Cleaner

Indoors or out, Mox was made for your toughest cleaning jobs. It's extremely versatile, and takes the place of numerous other cleaners to cut grease and grime—and save you money at the same time.

Bontz® – Heavy Duty Cleaner

Keep parking lots, sidewalks, and other exterior surfaces looking their best with Bontz. This industrial-strength, non-abrasive formula quickly emulsifies tough grease, smoke, and carbon residue on concrete, stone, brick, and other porous surfaces. It also strips wax and acrylic polymer polishes from linoleum and tile floors.

Hand Care

Fortress® – Defensive Skin Cream

Before you reach for the wrench or paint brush, rub Fortress on your hands and under your nails; when the job is done, dirt, grease and grime will wash away with ease. This non-oily, invisible formula can also protect against chapping, cracking, and wind burn.



Conklin Roof Systems and Master Guard Training

Top-Shelf Training Assures a Job Well Done

Conklin's high-quality, ongoing training is specially designed to help Conklin contractors deliver quality customer service by performing each job according to Conklin standards, and to support them as they build their businesses.

Roof Systems Training


At Conklin's Roof Systems Training, a team of technical experts guide participants through the Conklin formula for delivering a top-quality roofing job. The two-day course includes classroom training, hands-on demonstrations, and an in-depth manual of instructional materials, reference materials and sales aids designed to give our contractors continued support.

Conklin Roof Systems Training offers:

- In-depth information on Conklin products.
- Hands-on demonstration and instruction in the specific application methods for Conklin products.
- The opportunity to speak with and learn from experienced Conklin contractors and technical specialists.
- Recommendations for setting up and managing a Conklin business.

Master Guard Training

Conklin also offers single-day training opportunities geared towards specific Conklin product lines. Conklin's Master Guard Training provides practical instruction in the application and advantages of Conklin paints, wood sealer, asphalt sealer, and more. Like Roof Systems Training, it includes instructional and sales materials and is offered adjacent to Roof Systems training for the convenience of participants.



Roofing Applicator Field Guide

Our compact, comprehensive, system-by-system guide covers every type of roof, product properties, application coverage rates, safety and storage tips, and more.

Order Number #076331



Brush Up On Your Painting

This handy guide offers a solid foundation for turning the painting profession into a solid business. It also includes a range of tips from choosing the right paint to preparation, application, and clean-up.

Free download at conklin.com

Roof Coatings

Benchmark®

Base Coat

#36897	5 gal.
#36905	55 gal.
#37416	220 gal. mini-bulk

Top Coat (white)

#36913	5 gal.
#36921	55 gal.
#37424	220 gal. mini-bulk

Top Coat (gray)

#38760	5 gal.*
#38778	55 gal.*
#38786	220 gal. mini-bulk*

Equinox®

Base Coat (Tan)

57380	5 gal.
57383	55 gal.
57387	220 gal. mini-bulk*

Top Coat (White)

57391	5 gals.
57394	55 gals.
57398	220 gal. mini-bulk*

PUMA®

57273	5 gal.
57279	55 gal.
57291	220 gallon mini-bulk*

Rapid Roof III®

Base Coat

#37242	5 gal.
#37259	55 gal.
#37390	220 gal. mini-bulk*

Top Coat (white)

#37275	5 gal.
#37283	55 gal.
#37408	220 gal. mini-bulk

Top Coat (Lt Gray)

#37879	5 gal.
#37887	55 gal.

Top Coat (Lt Tan)

#37838	5 gal.
#37846	55 gal.
#37850	220 gal. mini-bulk*

Rapid Roof® HV

Base Coat

#36970	5 gal.
#36988	55 gal.
#37432	220 gal.*

Top Coat (white)

#37010	5 gal.
#37028	55 gal.
#37440	220 gal.

Spray Foam Products

Roofing Foam

(3.0#/cu. ft. density)

#56184	Side A 55 gal.
#56622	Side A tote*
#57046	Side B CD-348-S (slow/summer) 55 gal.
#57048	Side B CD-348-R (mid-range) 55 gal.
#57050	Side B CD-348-F (winter) 55 gal.

Interior Wall Foam

(2.0#/cu. ft. density)

#56184	Side A 55 gal.
#56622	Side A tote*
#57074	Side B CD-158-R (mid-range) 55 gal.
#57076	Side B CD-158-F (winter) 55 gal.
#57266	Side B 178 XF (ext-winter) 55 gal.

Low-Rise Foam Adhesive

#57025	Part A 55 gal.*
#57038	Part B 55 gal.*

Single-Ply Roofing Systems

Flexion®

CPA Single-Ply System (50 mil)

#56863	Flexion Roll (72" x 100')
#56875	Flexion Half Width Roll (36" x 100')
#56881	Flexion Unsupported Roll (24" x 60')
#56969	Flexion Coated Metal (4' x 10')
#56973	Flexion Universal Stack Collar (1" to 6")
#56977	Flexion Inside/Outside Corner
#57081	Flexion Bonding Adhesive 5 gal.

CPA Single-Ply System (60 mil)

#57501	Flexion Roll (72" x 100')
#57505	Flexion Half Width Roll (36" x 100')
#56881	Flexion Unsupported Roll (24" x 60')

Hy-Crown®

Hypalon Single-Ply System (45 mil)

#54015	Hy-Crown Roll white (61" x 100')
#57151	Hy-Crown Roll tan* (61" x 100')
#57071	Hy-Crown Roll white* (60 mil)

#57070	Hy-Crown Roll tan* (60 mil)
#54908	Hy-Crown Half Length Roll (61" x 50')
#55269	Hy-Crown Half Width Roll (30.5" x 100')
#54049	Unsupported Roll (30" x 50')
#54056	Gravel Stop – Hypalon (6" x 100')
#54080	Inside Corner (10/bag)
#54098	Outside Corner (10/bag)
#54205	Single Stack Collar (½" to 1-½")
#54171	Stack Collars (½" to 1-½") (10/cs.)
#54213	Single Stack Collar (2" to 3")
#54189	Stack Collars (2" to 3") (10/cs.)
#54221	Single Stack Collar (4" to 6")
#54197	Stack Collars (4" to 6") (10/cs.)
#54106	Hy-Crown Fastener Cover (100/bag)
#55210	Hy-Crown Repair Roll (5" x 50')
#54023	Contact Adhesive* 5 gal. †
#55525	Seaming Adhesive* 5 gal. black
#54031	Seaming Adhesive* 5 gal. † white
#57152	Seaming Adhesive* 5 gal. † tan
#601079	Seaming Adhesive* 1 gal.

Hy-Crown® & Flexion® Components

#54882	Single Termination Bar
#54577	Termination Bars – Aluminum (50 –10' pc.)
#601096	SS Hex Head White Screws 1" (200/cs.)
#601097	SS Hex Head White Screws 2" (200/cs.)
#54627	Hex Screws (concrete) ¼" x 1-¼"
#57231	Single-Ply Slip Sheet (4' x 250')
#54635	Hex Screws (concrete) ¼" x 2-½"
#54239	Fasteners 1-¾" (1,000/pail)
#54247	Fasteners 2-¼" (1,000/pail)
#54254	Fasteners 2-¾" (1,000/pail)
#54262	Fasteners 3-¾" (1,000/pail)

#54270	Fasteners 4-½" (1,000/pail)
#54288	Fasteners 5" (1,000/pail)
#54296	Fasteners 6" (1,000/pail)
#54420	Fasteners 8" (500/pail)
#54312	Plates 2" (1,000/pail)
#54320	Plates 3" (1,000/pail)
#54338	Plates 2" Barbed (1,000/pail)

Surface Prep., Primer & Maintenance Products

Alumify® General Purpose Aluminum Paint

#11346	5 gal.
#11353	55 gal.*

Kolor Kote Finish Coat

Available in 4 tint bases and white*

Finish Coat (Hi-Hide White)

#38125	5 gal.
#38133	55 gal.

Maintain® Coating

#39610	5 gal.
#39628	55 gal.
#39636	220 gal. mini-bulk*

Metal Ready Universal® Metal Primer

#20152	1 gal.
#20163	5 gal.
#20175	55 gal.
#20180	220 gal. mini-bulk*

Prime Time® Primer

#6379	5 gal.
#6395	55 gal.
#6387	220 gal. mini-bulk*

Prime Time® Plus Primer

#40563	5 gal.
#40564	55 gal.
#40565	220 gal.*

Rust Off® Rust & Oxide Remover

#2555	quart
#2560	6 quart/cs.

Tack Coat Primer/ Bonding Agent

#40101	5 gal.
#40113	55 gal.

WAC II Roof Cleaner

#40121	5 gal.
#40125	55 gal.*

Fabrics & Tapes

Spunflex Fabric Reinforcements

#50633	Spunflex fabric (4" X 100')
#56326	Spunflex fabric (4" X 300')
#50625	Spunflex fabric (38" X 300')
#54684	Spunflex fabric (76" X 300')
#54875	Spunflex II (2-½" X 100')
#56334	Spunflex II (2-½" X 300')
#54452	Spunflex II (5" X 100')
#56342	Spunflex II (5" X 300')
#55608	Spunflex Fabric (36" X 300')
#54650	Spunflex II (38" X 300')
#54692	Spunflex II (76" X 300')

Butyl Tape

#55178	3" X 50' (16/case)
#55186	6" X 50' (8/case)

Paint & Specialty Coatings

Show Kote® Ceiling Paint

#38620	1 gal.
--------	--------

Show Kote® Exterior Paint Primer

#36657	5 gal.
#36665	55 gal.*

Show Kote® Exterior Paint

Available in 4 tint bases°

1 gal.
5 gal.
55 gal.

Show Kote® Interior PVA Paint Primer

#38604	1 gal.
#38612	5 gal.

Show Kote® Interior Paint

Available in 4 tint bases°

1 gal.
5 gal.

Skylight Coating

Clear

40527	1 gal.
-------	--------

Wall Kote Exterior Coating System

Available in 4 tint bases°

1 gal.
5 gal.
55 gal.*

Wall-Up® Masonry Wall Coating

#3301	5 gal.
#3392	55 gal.

Wood Sealer

#39578	1 gal. (Natural)
#39586	5 gal. (Natural)
#39594	55 gal. (Natural)*
#39792	1 gal. (Custom – Redwood, Lt. Brown, Dark Brown, Gray)
#39800	5 gal. (Custom)

Master Guard® Asphalt Coating System

Asphalt Patch

#54403	50 lb. pail
--------	-------------

Asphalt Sealer

#54361	5 gal.
#54379	55 gal.*
#55111	220 gal. mini-bulk*

Oil & Spot Primer

#57160	1 pint
#57165	6 pints/cs.

Pourable Crack Filler

#54494	1 gal.
#54395	4 gal./cs.

Trowelable Crack Filler

#54502	1 gal.
#54445	4 gal./cs.
#54676	5 gal.

Caulks & Sealants

360-S® Urethane Sealant

White

#37614	tube (10.2 oz.)
#37192	12 tubes/cs.

Gray

#37622	tube (10.2 oz.)
#37218	12 tubes/cs.

Dark Bronze

#37630	tube (10.2 oz.)
#37200	12 tubes/cs.

Kwik Kaulk® Acrylic Caulking Compound

White

#5199	tube (10.3 oz.)
#5181	24 tubes/cs.
#5124	tube (29 oz.)
#5116	6 tubes/cs.
#5140	2 gal.
#5165	5 gal.

#5150	5 gal. (tintable)
-------	-------------------

Gray

#36954	tube (10.3 oz.)
#36889	24 tubes/cs.
#37648	tube (29 oz.)
#37374	6 tubes/cs.
#36962	2 gal.
#37358	5 gal.

Dark Bronze

#8862	tube (10.3 oz.)
#8854	24 tubes/cs.
#8896	tube (29 oz.)
#8888	6 tubes/cs. (29 oz.)
#8821	2 gal.
#8839	5 gal.

Kwik Kaulk® Caulking Fastener-Grade

#37499	5 gal. (white only)
#39404	55 gal.* (white only)
#40022	5 gal. (bronze only)
#40566	5 gal. (tintable)

Maintenance Products for Buildings, Vehicles, Equipment

4-Power® G Fuel System Cleaner (for gasoline)

#57485	8 oz.
#57489	8 oz. (12/cs.)

4-Power® D Fuel System Cleaner (for diesel)

#57460	8 oz.
#57465	8 oz. (12/cs.)
#57472	quart
#57477	quart (12/cs.)

Fuel Mate Plus® Fuel Conditioner

#6155	(2 oz. – 12/cs.)
#6015	(single pint)
#6031	(12 pints/cs.)
#6080	(single gal.)
#6064	(4 gals./cs.)
#6072	(5 gals)

Diesel Plus® Fuel Conditioner

#40139	(3 oz. – 12/cs.)
#9472	(single pint)
#9415	(12 pints/cs.)
#9480	(single gal.)
#9423	(4 gals./cs.)
#9431	(5 gals)

Compressor Oil

ISO 100

#037510	gal.
#037512	4 gal./cs.
#037531	5 gal.

ISO 32

#037551	gal.
#037555	4 gal./cs.
#037572	5 gal.

Luboil® Spray Lubricant

#2485	(single aerosol – 12 oz.)
#2410	(12 aerosols/cs.)
#2444	(single gal.)
#2469	(4 gals./cs.)
#2477	(5 gals.)

Rust Bomb® Penetrating Oil

#1248	(single aerosol – 12 oz.)
#1214	(12 aerosols/cs.)
#1206	(single gal.)
#1263	(4 gals./cs.)

Reflections™ Plus Glass Cleaner

#40611	(32-oz. spray bottle)
#40612	(6 bottles/cs.)
#140343	(single gal.)
#10512	(4 gals./cs.)

Mox® Multipurpose Cleaner

#140319	(single quart)
#1722	(6 quarts/cs.)
#1701	(single gal.)
#1768	(4 gals./cs.)
#1776	(5 gals)

Bontz® Industrial Strength Cleaner

#5722	(single quart)
#5784	(6 quarts/cs.)

Hand Care

Fortress® Defensive Skin Cream

#57205	(single pint)
#57222	(6 pints/cs.)

°Consult Conklin Custom Color Fan Deck for color name, number and tint base. All Tint Bases available in the following sizes.

* Non-stock item, available by special order (allow 3 weeks minimum)

† Keep from freezing.