



Conklin Roofing Systems Catalog

Innovative, Energy-Saving Products That Deliver





Put Your Trust in Roofing Systems that Perform


Back in 1977, Conklin formulated acrylic roofing coatings, which offer superior protection against the elements and provide substantial energy efficiency. Conklin's innovations in the commercial roofing industry moved the company forward while its competitors were still in the lab. Since that time, many companies have entered the cool, reflective roof coatings market; however, no other company offers what Conklin does. Conklin Roofing Systems combine superior-quality products with over 30 years of tested, proven, and trusted performance to deliver unsurpassed value for building owners, property managers, and contractors alike.

In addition, Conklin provides a comprehensive Roof Systems Training program which, along with continued technical support for Conklin contractors, is key to ensuring the long-term success of Conklin roofs.

The bottom line is that a roof is a long-term investment—not just another expense. And whether you're a roofing contractor, building owner, or facility manager, you can be sure that Conklin Roofing Systems are a smart investment to keep your bottom line strong.

Conklin Cool Roofs Lower Utility Costs

Ambient Temperature 90° F: *Statistics taken from www.reliant.com*



To learn more about Conklin Roofing Systems, contact:



EPDM & Modified Bitumen Recoating System

Cool roofs save money, energy costs

Conklin offers a complete waterproofing system for EPDM/Mod-Bit roofs that significantly improves the building’s energy efficiency. During the restoration process, each problem area is systematically addressed, repaired and resealed. Then the entire roof is sealed with a reflective finish coat that cools the roofing surface, reducing the damaging effects of thermal shock and UV degradation.

Advantages of Conklin’s EPDM & Modified Bitumen Recoating System

- Stops leaks with superior waterproofing.
- Increases energy efficiency and lowers utility expense with its cool, white, reflective surface.
- Extends the life of the existing roof.

“Conklin’s EPDM Coating System just makes things easy. It saves money, because the cost of a Conklin re-coat on an EPDM roof is about half the cost of replacing an EPDM roof. It saves energy, because on an 80° day, the temperature of a typical EPDM roof can rise to about 130° while a Conklin roof is about 80°. It also saves time—5,000 square feet can be applied in just two days, so the building owner can quickly get back to business as usual.”

– Eddie P., Tennessee

Professional application of a Conklin EPDM & Mod-Bit System



1. Power wash and clean with Wac II Roof Cleaner.
2. Prime surface with Tack Coat.
3. Reinforce seams with Spunflex® embedded in Rapid Roof® III Base Coat.
4. Seal entire roof with Rapid Roof® III Top Coat.

Conklin products used in the EPDM & Mod-Bit Recoating System are listed on pages 8-11 with the **EPDM** symbol.





Fabric-Reinforced Roofing System

Rugged, hail-rated roof lowers energy costs

Conklin's Fabric-Reinforced Roofing System will give your building and business trouble-free protection. It waterproofs with a seamless acrylic coating in which a tough, flexible fabric is embedded. This combination makes a rugged, yet lightweight membrane that resists splitting and rupturing – the primary cause of leaks. This roofing system also substantially increases the strength of your roof, extends its life expectancy, and increases the energy efficiency of the building.

Advantages of Conklin's Fabric-Reinforced Coating System

- Stops leaks with superior waterproofing.
- Offers excellent wind and hail protection.
- Increases energy efficiency and lowers utility expense with its cool, white, reflective surface.
- Extends the life of the existing roof.

“Compared to a conventional asphalt roof, Conklin's Fabric-Reinforced Coating System is a much better choice for building owners; it's easier and faster to apply than asphalt, so there's less disruption of business, and it keeps the building cooler so that energy costs are lower. In fact, it can pay for itself in energy savings over time. Plus, it's better for the environment, because it doesn't contain the toxic chemicals found in hot asphalt. Overall, it's a smart decision.”

– Virgil S., Illinois

Professional application of a Conklin Fabric-Reinforced Roofing System



Conklin's Fabric-Reinforced Roofing System is extremely versatile and can be applied to many different roof substrates. The application procedure will vary depending upon the type of substrate; refer to specification guides or to a trained Conklin contractor for details.

Conklin products used in the Fabric Reinforced Coating System are listed on pages 8-11 with the **FABRIC** symbol.

Testing & Approvals





Metal Roof (MR®) Restoration System

Don't replace your roof - restore it!

Conklin's MR System is a complete waterproofing system for metal roofs. It stops leaks, inhibits rust, and provides an energy-efficient, long-lasting, attractive finish coat which will extend the life of your roof for years. During the restoration process, each problem area is systematically addressed, repaired and resealed; then the entire roof is coated with a reflective finish coat.

Advantages of Conklin's MR® System

- Stops leaks.
- Inhibits rust.
- Increases energy efficiency and lowers utility expense with its cool, white reflective surface.
- Enhances appearance with attractive finish coat.
- Extends the life of the existing roof.


"We live in an area where the temperatures range from 25 below zero to 100 degrees, so the roof has a lot of weather-related movement and stress. The MR System sealed our leaks, stopped the rust and keeps our students and staff dry. As a bonus, we've seen an increase in energy efficiency, and are now spending less to cool the building. We are going to have more of our buildings restored with the MR System."

– Keith M.,
School Superintendent


Professional Application of a Conklin MR System®



1. Power wash and clean with Rust Off® Rust Remover.



2. Prime with Metal Ready® Universal Primer.



3. Caulk all fastener heads.



4. Reinforce existing seams with Spunflex® and base coat.



5. Seal entire roof with one of our approved acrylic coatings.

Conklin products used in the Metal Roof Restoration System are listed on pages 8-11 with the **MR** symbol.



Single-Ply Membrane System

Shield your building with the best

Conklin's Single-Ply Membrane roofing systems are the best in the industry. Our Single-Ply Roofing Systems are made with premium thermoplastic membranes. During installation, membrane rolls are overlapped and welded together to form an exceptionally durable, waterproof, energy-efficient shield that will deliver unsurpassed protection for years to come.

Advantages of Conklin's Single-Ply Membrane System

- Stops leaks with superior waterproofing.
- Offers superior protection from wind and hail.
- Offers fire and chemical resistance.
- Increases energy efficiency and lowers utility expense with its cool, white reflective surface.
- Can be applied in all seasons, performs in all climates.
- Up to 20 year warranty available.

"Conklin's Single-Ply Membrane Systems can be applied almost year-round. Typically, they add about two months to either end of our roofing season—plus they stand up to another Montana weather hazard: hail storms. I've applied two single-ply roofs that have been through baseball-size hail and high winds with no damage!"

— Ernie C., Montana

Professional application of a Conklin Single-Ply Roofing System




1. Remove all loose dirt and debris and install board stock.



2. Apply membrane, overlapping seams in the direction of water run-off.



3. Weld seams by hand or with a robotic welder.



4. Seal free edges of membrane with 360-S® urethane sealant.

Conklin products used in the Single-Ply Membrane System are listed on pages 8-11 with the **PLY** symbol.

Testing & Approvals





A lightweight 1" layer of foam offers seamless protection and insulation for years.

Spray Polyurethane Foam Roofing & Insulation System

Stop leaks, energy loss from the top down

Conklin's SPF System is a great way to provide high-grade insulation on both roofing and interior wall applications for top-down protection from the elements. An SPF application effectively controls air infiltration, adds building strength and reduces cooling and heating costs. During the restoration process, each problem area is systematically addressed, repaired and resealed; then the entire roof is sealed with a reflective finish coat.

Advantages of Conklin's SPF Roofing & Insulation System

- Stops leaks.
- Stops lateral water seepage with the foam's closed-cell structure.
- Increases energy efficiency and lowers utility expense with a white, cool, reflective surface and an insulation value of R-6 per inch of thickness.
- Simplifies repairs - most damage can be fixed with caulk gun and sealant.
- Extends the life of the roof.
- Seals entire building's energy envelope when applied to roof and interior walls.

"This year we restored two sections of foam and coating that we applied to the roof of the Playtex facility in Delaware almost two decades ago. At that time, I figured that each of those roofs would last about 12 -15 years. But almost 20 years later, the roofs were problem-free and going strong—they were just in need of a warranty renewal."
 — Sheldon S., Delaware

Professional application of a Conklin SPF Roofing System



1. Prepare roof surface by removing all loose gravel and debris.



2. Apply SPF with a minimum thickness of one inch.



3. Coat foam surface with appropriate Conklin coating system.

Conklin products used in the SPF & Coating System are listed on pages 8-11 with the **FOAM** symbol.

Testing & Approvals



The Conklin Family of Cool Roofing Systems

CONKLIN ROOFING SYSTEMS COMPARISON	One-Coat	Coming Soon	Two-Coat Liquid Applied				Membrane	
	PUMA	PUMA XL	Benchmark	Equinox	Rapid Roof III	Rapid Roof HV	Flexion	Hy-Crown
primary features, benefits	one-coat, durability	strength, flexibility, durability	strength, durability	cool temp application	flexible, durable	most economical	flexible, durable, cool temp application	strength, durable, cool temp application
RECOMMENDED APPLICATIONS								
new roofs	yes, over foam	yes	yes	yes	yes	yes	yes	yes
ROOF RESTORATION								
recoating Conklin roof coatings	yes	yes	yes	yes	yes	yes	n/a	n/a
over EPDM, BUR, Mod. Bitumen	not rated	yes	no	no	yes with TC	no	w/DM	w/DM
over metal	not recommended	yes	yes	yes	yes	yes	w/app'd BD	w/app'd BD
over shingles, rolled asphaltic roofing	not rated	not rated	not rated	over shingles w/PT	over shingles w/PT	not rated	w/DM	w/DM
PRODUCT CHARACTERISTICS								
application temperature	above 40° F	above 40° F	above 40° F	above 35° F	above 40° F	above 40° F	above 20° F	above 20° F
early water resistance	best	best	better	best	good	good	best	best
drying time (to skin)	2-6 hours	2-6 hours	2-8 hours	1-3 hours	2-8 hours	2-8 hours	n/a	n/a
tensile strength	495 psi	550 psi	410 psi	230 psi	232 psi	not rated	n/a	n/a
erosion resistance	best	best	better	good	good	good	better	best
fire rating (UL 790)	Class A	Class A	Class A	Class A	Class A	no fire rating	Class A	Class A
SELLING POINTS FOR CUSTOMERS								
reflectivity (for energy savings)	85%	85%	85%	85%	85%	82%	84%	83%
environmentally-friendly VOC emissions	low - 43 g/L	low - 44 g/L	<50 g/L	<50 g/L	<100 g/L	<100 g/L	AD	AD
years of warranty available	15 yr over foam	18 years	12 yr over foam	10 years	10 years	not rated	Up to 15 years	Up to 20 years
resistance to dirt pickup, mildew	best	best	better	good	good	not rated	best	best

Note: The chart above compares the most important characteristics of each roofing system and will assist you to identify which Conklin Roofing Systems to recommend for your various roofing projects. A key to the abbreviations used follows.

KEY: app'd BD = Approved boardstock; DM = divorce membrane; PT= PrimeTime primer coat; TC = Tack Coat; AD = adhesive dependent

One-Coat Application

PUMA™

One-Coat Extra Tough Roof Coating

For use with these roofing systems: **FOAM**

PUMA is the industry's first one-coat roofing system for spray foam applications. This Poly-Urethane Modified Acrylic combines the best performance of both urethane and acrylic polymers to create a seamless membrane that waterproofs in just one coat. PUMA has three times more erosion resistance than conventional roofs along with superior resistance to dirt pickup and mildew. PUMA is fast, tough, smart and green, and keeps roofs looking like new for longer.

Two-Coat Liquid Applied

Benchmark®

Conklin's Premier Acrylic Roof Coating

For use with these roofing systems: **MR FABRIC FOAM**

Resistant to acid rain, air pollutants and ultraviolet degradation, Benchmark provides the ultimate combination of flexibility and strength for your toughest projects. This 100 percent acrylic coating is recognized by most major code organizations, including Underwriters Laboratories (UL), Factory Mutual, Miami-Dade and the International Code Conference. Benchmark also features an ENERGY STAR rating and an 85 percent solar reflective value for maximum energy efficiency.

Equinox[®]

Low-Temperature Roof Coating

For use with these roofing systems: **EPDM** **MR** **FABRIC** **FOAM**

Equinox is an advanced-technology coating formulated for application in cool weather. This completely seamless membrane provides excellent protection from the elements, flexibility to withstand building movement, and long-term durability. Conklin's Equinox provides an 85-percent reflective top coat that is pending Energy Star and CRRC rating.

Rapid Roof III[®]

Hard-Working, Weatherproof Coating

For use with these roofing systems: **EPDM** **MR** **FABRIC** **FOAM**

The workhorse of the Conklin roof coatings line, Rapid Roof has proven itself with over 30 years of trouble-free service. This lightweight, flexible, seamless and weatherproof system carries a UL Class A fire classification. Rapid Roof III in standard white provides an 85 percent reflective, tack-free, dirt resistant finish. Continuing to lead in innovation, Rapid Roof III offers several optional colors that also meet the ENERGY STAR requirements for reflectivity and energy efficiency.

Rapid Roof[®] HV

Seamless, Waterproof and Cost-Effective Coating

For use with these roofing systems: **MR** **FABRIC**

This high-value system delivers the same waterproof, seamless flexibility and durability of Conklin's other roofing systems, but at a lower price because it doesn't carry the costly code approvals and fire ratings. Rapid Roof HV features an 82 percent solar reflective value and meets the requirements for the ENERGY STAR program.

PUMA[™] XL

Coming Soon

Extended-Life Roof Coating

For use with these roofing systems: **EPDM** **MR** **FABRIC** **FOAM**

PUMA XL is the latest innovation in the PUMA family of products. This extraordinary coating combines the advanced technology of PUMA with exceptional versatility, because it can be applied over a variety of substrates. It dries faster than other two-coat systems, and will carry an unprecedented 18-year warranty, because of its outstanding tensile strength.

Membrane

Flexion[™]

Single-Ply Membrane

For use with these roofing systems: **PLY**

This ENERGY STAR rated, thermoplastic membrane provides fantastic protection from the elements. Its unique thermoplastic formulation has been reinforced with DuPont[®] Elvaloy[®] for superior strength, durability and flexibility. It is naturally fire-resistant and has been recognized by most major code approval agencies. Flexion is an excellent choice for both new and re-roofing applications.

Hy-Crown[®]

Single-Ply Membrane

For use with these roofing systems: **PLY**

Made with Chlorosulfonated Polyethylene (CSPE), Hy-Crown is one of the best single-ply membranes on the market today. This premium product has proven its durability and longevity over decades of exposure in the harshest environments. Widely recognized by all major code approval agencies, Hy-Crown provides superior resistance to a broad range of chemicals, and ultraviolet rays. In addition, this durable, ENERGY STAR rated membrane provides outstanding reflectivity (85 percent) that translates into exceptional energy efficiency.



Surface Preparation, Primer, and Maintenance Products

Cleaners

Mox[®] Multipurpose Cleaner

Mox was made for tough cleaning jobs. It can be used to eliminate stubborn dirt on indoor fixtures and surfaces, to prepare surfaces for the application of Conklin coatings, or to clean Conklin roofs between inspections. It's extremely versatile and takes the place of numerous other cleaners to cut grease and grime—and save you money at the same time!

Rust-Off[®] Rust and Oxide Remover

For use with these roofing systems: **MR**

A concentrated metal roof treatment that etches metal, passifies rust, and removes oxidation. It is the necessary tool in the fight to prevent and treat rust on your roof.

WAC II Industrial-Strength Roof Cleaner

For use with these roofing systems: **EPDM**

Used in roof cleaning applications and for proper cleaning of weathered EPDM and Modified Bitumen membranes. WAC II powers away dirt and leaves no residue. Our unique formula provides a clean surface for optimal adhesion of Tack Coat primer and Rapid Roof III top coat.

Sealants and Caulking Compounds

Kwik Kaulk[®] Acrylic Caulking Compound

Formulated with less water than the leading competitive caulk, Kwik Kaulk is a premium latex caulking compound ideal for filling holes or cracks around joints, flashings, and fasteners before applying Conklin Roof Coating Systems. This unique formula seals any areas where leaks could occur, remains flexible, and cures to a durable finish.

360-S[®] Urethane Sealant

Ideal for asphalt, masonry, concrete, aluminum, wood, and glass surfaces, this caulking compound provides outstanding adhesion and long-lasting protection that resists cracking, water and most harsh chemicals. Unlike other sealants, 360-S uses moisture to cure, making it the ideal sealant for application in cool or humid conditions. Available in white, gray or dark bronze, 360-S is paintable when cured.

Primers

Metal Ready Universal[®] Rust-Inhibiting Metal Primer

For use with these roofing systems: **MR**

Even where rust has a foothold, special anticorrosion agents in our superior primer act to inhibit further spread of the oxidation process. Protect metal



buildings and help them last longer with this protective barrier, which inhibits rust from forming on steel surfaces and dries in as little as two to four hours. (Use in conjunction with Rust-Off)

Prime Time[®] Primer for Conklin Acrylic Roof Systems

For use with these roofing systems: **FABRIC**

This quality acrylic latex roof primer is designed to prepare rough, weathered or irregular substrates for a Conklin coating. Prime Time can be considered “liquid insurance” for optimum performance of Conklin roofing systems.

Prime Time[®] Plus Quality Acrylic Latex Primer

For use with these roofing systems: **FOAM**

Prime Time[®] Plus is Conklin’s top-quality acrylic latex base coat designed for use over spray-in-place polyurethane foam. When combined with Rapid Roof III[®] top coat, Prime Time Plus provides an Underwriters Laboratories (UL) Class A fire rated roofing system at a reasonable cost.

Tack Coat Single Ply Membrane Primer/Bonding Agent

For use with these roofing systems: **EPDM**

When used in conjunction with WAC II, Conklin’s Tack Coat promotes adhesion between Rapid Roof III[®] and hard-to-adhere-to substrates such as EPDM, Hypalon, PVC, and TPO. It quickly and

effectively prepares the membrane for application of the highly reflective, energy-saving finish coat.

Maintenance

Alumify[®] General Purpose Aluminum Paint

Rejuvenate metal surfaces and structures with a smooth, tough, reflective finish that reduces UV deterioration and cooling costs. Ideal for steel or galvanized metal. When applied over Metal Ready Universal Primer, Alumify handles weather extremes and resists chalking, cracking, and checking.

Kolor Kote[™] Finish Coat Elastomeric Coating for Acrylic and Metal

Our premium coat provides excellent adhesion to Conklin acrylic roof coatings as well as metal or aluminum siding, corrugated steel, wrought iron trim, and more. Higher levels of solids and binders add flexibility to prevent cracking and chipping as metal surfaces expand and contract. Extremely durable and weather-resistant, Kolor Kote is available in 940 colors for the perfect finishing touch.

Maintain[®] Water-Based Maintenance Coating

A single coat of Maintain produces a bright white, low-sheen finish that inhibits light to medium rust. This low odor, VOC-compliant coating keeps building interiors cooler and lowers energy costs.

Roof Coatings

Benchmark®

Base Coat

#36897	5 gal.
#36905	55 gal.
#37416	220 gal. mini-bulk

Top Coat (white)

#36913	5 gal.
#36921	55 gal.
#37424	220 gal. mini-bulk

Top Coat (gray)

#38760	5 gal.*
#38778	55 gal.*
#38786	220 gal. mini-bulk*

Equinox®

Base Coat (Tan)

57380	5 gal.
57383	55 gal.
57387	220 gal. mini-bulk*

Top Coat (White)

57391	5 gals.
57394	55 gals.
57398	220 gal. mini-bulk*

PUMA®

57273	5 gal.
57279	55 gal.
57291	220 gallon mini-bulk*

Rapid Roof III®

Base Coat

#37242	5 gal.
#37259	55 gal.
#37390	220 gal. mini-bulk*

Top Coat (white)

#37275	5 gal.
#37283	55 gal.
#37408	220 gal. mini-bulk

Top Coat (Lt Gray)

#37879	5 gal.
#37887	55 gal.

Top Coat (Lt Tan)

#37838	5 gal.
#37846	55 gal.
#37850	220 gal. mini-bulk*

Rapid Roof® HV

Base Coat

#36970	5 gal.
#36988	55 gal.
#37432	220 gal.*

Top Coat (white)

#37010	5 gal.
#37028	55 gal.
#37440	220 gal.

Spray Foam Products

Roofing Foam

(3.0#/cu. ft. density)

#56184	Side A 55 gal.
#56622	Side A tote*
#57046	Side B CD-348-S (slow/summer) 55 gal.
#57048	Side B CD-348-R (mid-range) 55 gal.
#57050	Side B CD-348-F (winter) 55 gal.

Interior Wall Foam

(2.0#/cu. ft. density)

#56184	Side A 55 gal.
#56622	Side A tote*
#57074	Side B CD-158-R (mid-range) 55 gal.
#57076	Side B CD-158-F (winter) 55 gal.
#57266	Side B 178 XF (ext-winter) 55 gal.

Low-Rise Foam Adhesive

#57025	Part A 55 gal.*
#57038	Part B 55 gal.*

Single-Ply Roofing Systems

Flexion®

CPA Single-Ply System (50 mil)

#56863	Flexion Roll (72" x 100')
#56875	Flexion Half Width Roll (36" x 100')
#56881	Flexion Unsupported Roll (24" x 60')
#56969	Flexion Coated Metal (4' x 10')
#56973	Flexion Universal Stack Collar (1" to 6")
#56977	Flexion Inside/Outside Corner
#57081	Flexion Bonding Adhesive 5 gal.

CPA Single-Ply System (60 mil)

#57501	Flexion Roll (72" x 100')
#57505	Flexion Half Width Roll (36" x 100')
#56881	Flexion Unsupported Roll (24" x 60')

Hy-Crown®

Hypalon Single-Ply System (45 mil)

#54015	Hy-Crown Roll white (61" x 100')
#57151	Hy-Crown Roll tan* (61" x 100')
#57071	Hy-Crown Roll white* (60 mil)

#57070	Hy-Crown Roll tan* (60 mil)
#54908	Hy-Crown Half Length Roll (61" x 50')
#55269	Hy-Crown Half Width Roll (30.5" x 100')
#54049	Unsupported Roll (30" x 50')
#54056	Gravel Stop – Hypalon (6" x 100')
#54080	Inside Corner (10/bag)
#54098	Outside Corner (10/bag)
#54205	Single Stack Collar (½" to 1-½")
#54171	Stack Collars (½" to 1-½") (10/cs.)
#54213	Single Stack Collar (2" to 3")
#54189	Stack Collars (2" to 3") (10/cs.)
#54221	Single Stack Collar (4" to 6")
#54197	Stack Collars (4" to 6") (10/cs.)
#54106	Hy-Crown Fastener Cover (100/bag)
#55210	Hy-Crown Repair Roll (5" x 50')
#54023	Contact Adhesive* 5 gal. †
#55525	Seaming Adhesive* 5 gal. black
#54031	Seaming Adhesive* 5 gal. † white
#57152	Seaming Adhesive* 5 gal. † tan
#601079	Seaming Adhesive* 1 gal.

Hy-Crown® & Flexion® Components

#54882	Single Termination Bar
#54577	Termination Bars – Aluminum (50 –10' pc.)
#601096	SS Hex Head White Screws 1" (200/cs.)
#601097	SS Hex Head White Screws 2" (200/cs.)
#54627	Hex Screws (concrete) ¼" x 1-¼"
#57231	Single-Ply Slip Sheet (4' x 250')
#54635	Hex Screws (concrete) ¼" x 2-½"
#54239	Fasteners 1-¾" (1,000/pail)
#54247	Fasteners 2-¼" (1,000/pail)
#54254	Fasteners 2-¾" (1,000/pail)
#54262	Fasteners 3-¾" (1,000/pail)

#54270	Fasteners 4-½" (1,000/pail)
#54288	Fasteners 5" (1,000/pail)
#54296	Fasteners 6" (1,000/pail)
#54420	Fasteners 8" (500/pail)
#54312	Plates 2" (1,000/pail)
#54320	Plates 3" (1,000/pail)
#54338	Plates 2" Barbed (1,000/pail)

Surface Prep., Primer & Maintenance Products

Alumify® General Purpose Aluminum Paint

#11346	5 gal.
#11353	55 gal.*

Kolor Kote Finish Coat

Available in 4 tint bases and white*

Finish Coat (Hi-Hide White)

#38125	5 gal.
#38133	55 gal.

Maintain® Coating

#39610	5 gal.
#39628	55 gal.
#39636	220 gal. mini-bulk*

Metal Ready Universal® Metal Primer

#20152	1 gal.
#20163	5 gal.
#20175	55 gal.
#20180	220 gal. mini-bulk*

Prime Time® Primer

#6379	5 gal.
#6395	55 gal.
#6387	220 gal. mini-bulk*

Prime Time® Plus Primer

#40563	5 gal.
#40564	55 gal.
#40565	220 gal.*

Rust Off® Rust & Oxide Remover

#2555	quart
#2560	6 quart/cs.

Tack Coat Primer/ Bonding Agent

#40101	5 gal.
#40113	55 gal.

WAC II Roof Cleaner

#40121	5 gal.
#40125	55 gal.*

Fabrics & Tapes

Spunflex Fabric Reinforcements

#50633	Spunflex fabric (4" X 100')
#56326	Spunflex fabric (4" X 300')
#50625	Spunflex fabric (38" X 300')
#54684	Spunflex fabric (76" X 300')
#54875	Spunflex II (2-½" X 100')
#56334	Spunflex II (2-½" X 300')
#54452	Spunflex II (5" X 100')
#56342	Spunflex II (5" X 300')
#55608	Spunflex Fabric (36" X 300')
#54650	Spunflex II (38" X 300')
#54692	Spunflex II (76" X 300')

Butyl Tape

#55178	3" X 50' (16/case)
#55186	6" X 50' (8/case)

Paint & Specialty Coatings

Show Kote® Ceiling Paint

#38620	1 gal.
--------	--------

Show Kote® Exterior Paint Primer

#36657	5 gal.
#36665	55 gal.*

Show Kote® Exterior Paint

Available in 4 tint bases°

1 gal.
5 gal.
55 gal.

Show Kote® Interior PVA Paint Primer

#38604	1 gal.
#38612	5 gal.

Show Kote® Interior Paint

Available in 4 tint bases°

1 gal.
5 gal.

Skylight Coating

Clear

40527	1 gal.
-------	--------

Wall Kote Exterior Coating System

Available in 4 tint bases°

1 gal.
5 gal.
55 gal.*

Wall-Up® Masonry Wall Coating

#3301	5 gal.
#3392	55 gal.

Wood Sealer

#39578	1 gal. (Natural)
#39586	5 gal. (Natural)
#39594	55 gal. (Natural)*
#39792	1 gal. (Custom – Redwood, Lt. Brown, Dark Brown, Gray)
#39800	5 gal. (Custom)

Master Guard® Asphalt Coating System

Asphalt Patch

#54403	50 lb. pail
--------	-------------

Asphalt Sealer

#54361	5 gal.
#54379	55 gal.*
#55111	220 gal. mini-bulk*

Oil & Spot Primer

#57160	1 pint
#57165	6 pints/cs.

Pourable Crack Filler

#54494	1 gal.
#54395	4 gal./cs.

Trowelable Crack Filler

#54502	1 gal.
#54445	4 gal./cs.
#54676	5 gal.

Caulks & Sealants

360-S® Urethane Sealant

White

#37614	tube (10.2 oz.)
#37192	12 tubes/cs.

Gray

#37622	tube (10.2 oz.)
#37218	12 tubes/cs.

Dark Bronze

#37630	tube (10.2 oz.)
#37200	12 tubes/cs.

Kwik Kaulk® Acrylic Caulking Compound

White

#5199	tube (10.3 oz.)
#5181	24 tubes/cs.
#5124	tube (29 oz.)
#5116	6 tubes/cs.
#5140	2 gal.
#5165	5 gal.

#5150	5 gal. (tintable)
-------	-------------------

Gray

#36954	tube (10.3 oz.)
#36889	24 tubes/cs.
#37648	tube (29 oz.)
#37374	6 tubes/cs.
#36962	2 gal.
#37358	5 gal.

Dark Bronze

#8862	tube (10.3 oz.)
#8854	24 tubes/cs.
#8896	tube (29 oz.)
#8888	6 tubes/cs. (29 oz.)
#8821	2 gal.
#8839	5 gal.

Kwik Kaulk® Caulking Fastener-Grade

#37499	5 gal. (white only)
#39404	55 gal.* (white only)
#40022	5 gal. (bronze only)
#40566	5 gal. (tintable)

Maintenance Products for Buildings, Vehicles, Equipment

4-Power® G Fuel System Cleaner (for gasoline)

#57485	8 oz.
#57489	8 oz. (12/cs.)

4-Power® D Fuel System Cleaner (for diesel)

#57460	8 oz.
#57465	8 oz. (12/cs.)
#57472	quart
#57477	quart (12/cs.)

Fuel Mate Plus® Fuel Conditioner

#6155	(2 oz. – 12/cs.)
#6015	(single pint)
#6031	(12 pints/cs.)
#6080	(single gal.)
#6064	(4 gals./cs.)
#6072	(5 gals)

Diesel Plus® Fuel Conditioner

#40139	(3 oz. – 12/cs.)
#9472	(single pint)
#9415	(12 pints/cs.)
#9480	(single gal.)
#9423	(4 gals./cs.)
#9431	(5 gals)

Compressor Oil

ISO 100

#037510	gal.
#037512	4 gal./cs.
#037531	5 gal.

ISO 32

#037551	gal.
#037555	4 gal./cs.
#037572	5 gal.

Luboil® Spray Lubricant

#2485	(single aerosol – 12 oz.)
#2410	(12 aerosols/cs.)
#2444	(single gal.)
#2469	(4 gals./cs.)
#2477	(5 gals.)

Rust Bomb® Penetrating Oil

#1248	(single aerosol – 12 oz.)
#1214	(12 aerosols/cs.)
#1206	(single gal.)
#1263	(4 gals./cs.)

Reflections™ Plus Glass Cleaner

#40611	(32-oz. spray bottle)
#40612	(6 bottles/cs.)
#140343	(single gal.)
#10512	(4 gals./cs.)

Mox® Multipurpose Cleaner

#140319	(single quart)
#1722	(6 quarts/cs.)
#1701	(single gal.)
#1768	(4 gals./cs.)
#1776	(5 gals)

Bontz® Industrial Strength Cleaner

#5722	(single quart)
#5784	(6 quarts/cs.)

Hand Care

Fortress® Defensive Skin Cream

#57205	(single pint)
#57222	(6 pints/cs.)

*Consult Conklin Custom Color Fan Deck for color name, number and tint base. All Tint Bases available in the following sizes.

* Non-stock item, available by special order (allow 3 weeks minimum)

† Keep from freezing.

Maintenance Products for Buildings, Vehicles, and Equipment



Vehicle and Equipment Maintenance

4-Power® D and Diesel Plus®

Maximize your diesel engine's performance year-round with 4-Power D Diesel Fuel System Cleaner and Diesel Plus Diesel Fuel Conditioner. With today's diesel fuels you need Diesel Plus in every tank for improved stability, cetane number, lubricity and cold weather operation. And don't forget to aggressively clean the fuel system with 4-Power D every 4,000 miles or 4 months.

4-Power® G and Fuel Mate Plus®

Keep your gasoline fuel systems running like a top with 4-Power G Gasoline Fuel System Cleaner and Fuel Mate Plus Gasoline Fuel Conditioner. Since the minimum additive performance standards were established in 1995, most gasoline actually has lower levels of detergent; Fuel Mate Plus in every tank helps to maintain your fuel system's performance. Don't forget 4-Power G every 4,000 miles or 4 months as a clean fuel system allows for more efficient fuel dispersion and complete combustion.

Luboil® – Multipurpose Lubricant

From heavy equipment to a squeaky hinge, Luboil will give you long-lasting lubrication without greasy residue. It displaces moisture and won't attract dirt and grime.

Rust Bomb® – Super Penetrating Oil

Make repairs a breeze with this "must-have" product for any equipment frequently exposed to wet conditions. Rust Bomb penetrates quickly and breaks down rust and corrosion on fasteners, nuts, bolts, and hinges.

ISO 32™ & ISO 100™ – Compressor Oils

Extended oil drain intervals are just the beginning of what ISO 32 and ISO 100 Compressor Oils can do for you. Both are able to reduce the operating temperatures while extending the life of your equipment.



Cleaners

Reflections™ Plus – Multipurpose Glass and Surface Cleaner

Get superior, streak-free cleaning power on windows, windshields, and other non-porous surfaces without the ammonia. Reflections is perfect for cutting through dirt and film and keeping surfaces looking like new.

Mox® – Multipurpose Cleaner

Indoors or out, Mox was made for your toughest cleaning jobs. It's extremely versatile, and takes the place of numerous other cleaners to cut grease and grime—and save you money at the same time.

Bontz® – Heavy Duty Cleaner

Keep parking lots, sidewalks, and other exterior surfaces looking their best with Bontz. This industrial-strength, non-abrasive formula quickly emulsifies tough grease, smoke, and carbon residue on concrete, stone, brick, and other porous surfaces. It also strips wax and acrylic polymer polishes from linoleum and tile floors.

Hand Care

Fortress® – Defensive Skin Cream

Before you reach for the wrench or paint brush, rub Fortress on your hands and under your nails; when the job is done, dirt, grease and grime will wash away with ease. This non-oily, invisible formula can also protect against chapping, cracking, and wind burn.



Conklin Roof Systems and Master Guard Training

Top-Shelf Training Assures a Job Well Done

Conklin's high-quality, ongoing training is specially designed to help Conklin contractors deliver quality customer service by performing each job according to Conklin standards, and to support them as they build their businesses.

Roof Systems Training


At Conklin's Roof Systems Training, a team of technical experts guide participants through the Conklin formula for delivering a top-quality roofing job. The two-day course includes classroom training, hands-on demonstrations, and an in-depth manual of instructional materials, reference materials and sales aids designed to give our contractors continued support.

Conklin Roof Systems Training offers:

- In-depth information on Conklin products.
- Hands-on demonstration and instruction in the specific application methods for Conklin products.
- The opportunity to speak with and learn from experienced Conklin contractors and technical specialists.
- Recommendations for setting up and managing a Conklin business.

Master Guard Training

Conklin also offers single-day training opportunities geared towards specific Conklin product lines. Conklin's Master Guard Training provides practical instruction in the application and advantages of Conklin paints, wood sealer, asphalt sealer, and more. Like Roof Systems Training, it includes instructional and sales materials and is offered adjacent to Roof Systems training for the convenience of participants.



Roofing Applicator Field Guide

Our compact, comprehensive, system-by-system guide covers every type of roof, product properties, application coverage rates, safety and storage tips, and more.

Order Number #076331



Brush Up On Your Painting

This handy guide offers a solid foundation for turning the painting profession into a solid business. It also includes a range of tips from choosing the right paint to preparation, application, and clean-up.

Free download at conklin.com