



**CONKLIN® FASTRACK®**

# Adult Dog Supplement

Fastrack Adult Dog Supplement contains vitamins, minerals and an essential fatty acid. This specially formulated product is enhanced with vitamin C, biotin and vitamin K.

**SUGGESTED USE:** Adult Dog Supplement is intended as a dietary supplement and is not a complete food for dogs. The chewable tablet can be supplemented as a treat or crumbled and mixed with food.

**Puppies and dogs under 20 lbs.:** ½ tablet daily

**Dogs over 20 lbs.:** 1 tablet daily

## MINIMUM GUARANTEED ANALYSIS

### Per Tablet (3.1 g)

**Minerals:** Calcium 100 mg, phosphorus 77 mg, potassium 16 mcg, magnesium 5 mg, iron 2 mg, copper 100 mcg, manganese 60 mcg, zinc 1.5 mg, iodine 52 mcg and cobalt 14 mcg.

**Vitamins:** Vitamin A 1,500 International Units (IU), vitamin D<sub>3</sub> 150 IU, vitamin E 15 IU, thiamine 0.2 mg, riboflavin 0.5 mg, pantothenic acid 2 mg, niacin 2.3 mg, pyridoxine 0.2 mg, folic acid 40 mcg, choline 50 mg, menadione (vitamin K)<sup>2</sup> 0.3 mg, biotin<sup>2</sup> 30 mcg and vitamin C<sup>2</sup> (as Ester-C<sup>1</sup>) 70 mg.

**Essential fatty acid:** Linoleic acid 53 mg.

**INGREDIENTS:** Dried poultry liver, maltodextrin, microcrystalline cellulose, dicalcium phosphate, fish meal, calcium ascorbate, lecithin, choline chloride, magnesium amino acid chelate, d-alpha tocopheryl acetate, iron amino acid chelate, zinc amino acid chelate, silicon dioxide, magnesium stearate, ascorbic acid, vitamin A acetate, biotin supplement, niacinamide, d-Calcium pantothenate, copper amino acid chelate, menadione sodium bisulfate complex, riboflavin, manganese amino acid chelate, vitamin B<sub>12</sub> supplement, vitamin D<sub>3</sub> supplement, thiamine hydrochloride, pyridoxine hydrochloride, cobalt amino acid chelate, potassium iodide and folic acid.

<sup>1</sup>Ester-C® is a registered trademark of Inter-Cal Corp.

<sup>2</sup>This compound is not recognized as an essential nutrient by the AAFCO Dog Food Nutrient Profile.

**Perishable product: Store in a cool, dry place not to exceed 75°F.**