



CONKLIN® **FASTRACK** Equine Gel

Fastrack Equine Gel is a source of lactic acid-producing bacteria, yeast culture, dried chicory root, vitamins and specialized proteins. Supplement Equine Gel at birth and weaning to promote a healthy digestive tract and strong immune system. Fastrack Equine Gel should also be used following antibiotic therapy and surgery, and during transportation.

SUGGESTED USE: Place gel between lower teeth and cheek at the following rates:

Foals: 1 - 2 mL per foal at birth, days 3 and 5, weaning and periods of irregular feed intake

Adult Horses: 1 - 4 mL per horse at worming, transporting and periods of irregular feed intake

MINIMUM GUARANTEED ANALYSIS

Per 1 mL

Total lactic acid-producing bacteria activity: 1.25 billion colony-forming units (CFUs) from *Enterococcus faecium*, *Lactobacillus acidophilus*; total live yeast cells 25 million CFUs from *Saccharomyces cerevisiae*; and vitamin A 10,000 IU and vitamin E 25 IU.

INGREDIENTS: Vegetable oil, egg product, dried chicory root, silicon dioxide, active dry yeast (*Saccharomyces cerevisiae*), dl-alpha tocopheryl acetate (source of vitamin E activity), vitamin A acetate, dried *Enterococcus faecium* fermentation product and dried *Lactobacillus acidophilus* fermentation product.

Keep cool. For extended shelf life, store in refrigerator.